

TP-02 Triplate with Integrated Table

Product Overview

Performance The TDK TP-02 Triplate is an E-field generator designed to perform EMC measurements according to SAE and other automotive component test regulations. The Triplate has a linear response in the operating range of DC to 500 MHz with extended operation to 1 GHz. The feed section is designed to handle high power.

Integrated Test Table The TP-02 Triplate is offered with an integrated test table. The test table is supplied with a ground plane that is bonded to the bottom section of the triplate. The test table is mounted on casters and features a unique folding design which allows the triplate to be easily moved. The support assembly is constructed of wood and fiberglass.

Features

- Excellent linear response
- Designed to SAE specifications
- Capable of handling high power
- Integrated test table

Applications

- Immunity measurements to automotive test regulations



The TDK TP-02 Triplate and integrated table is specifically designed to generate fields for EMC testing in automotive component test environments.

TP-02 Triplate with Integrated Table

Mechanical Specifications

Overall Size:	
Length:	122 in.
Width:	24 in.
Height:	64 in.
Construction:	Wood, aluminum, fiber-glass, delrin
RF Connector:	N type or SC

Environmental Specifications

Operating Range:	0° to +40° C
Storage Range:	-10° to +50°
Humidity:	Up to 95% non-condensing
Storage:	-10° to +50° C

Ordering Information

Product:	Triplate
Model Number:	TP-02
Warranty:	1 year

To place an order or to learn more about the TDK products that best meet your needs, contact your TDK sales representative:

TDK RF Solutions Inc.

1101 Cypress Creek Rd.
Cedar Park, Texas 78613 USA
Phone: 1-512-258-9478
Fax: 1-512-258-0740
E-mail: info@tdkrf.com
World Wide Web: www.tdkrfsolutions.com

TOTAL RF EXPERTISE™



www.tdkrfsolutions.com

To learn more about TDK's wide range of innovative test products, solutions and services visit www.tdkrfsolutions.com

Copyright © TDK RF Solutions Inc. All rights reserved. Specifications subject to change without notice.

Rev. 2011-08-02